

Code
Number

Description

Price (INR)

Image

CATEGORY: FILTERS

HS CODE 84212190 GST 18%

TOP MOUNTED FILTERS (RESIDENTIAL /SEMI COMMERCIAL POOLS)

High performance BOBBIN WOUND SAND MEDIA FILTER comes with TOP MOUNT multiport valve has UV and corrosion resistant, Hydraulically balanced umbrella - fold laterals for balanced flow, backwashing and easy maintenance. Multi- port 6-way valve (Clamp / Bolts mounted) with lever-action handle, quick connect unions (Suits BS & ASTM pipes), Integral sight glass, manometer, air-bleed apparatus, working pressure of 2.5bar. (Flow details are at a filtration velocity of 50m3/m2/hr)

AS400T	400mm dia filter with clamp mounted 1.5" MPV	18760	
	6.50m ³ /hr. 0.13m ² , 50kg sand & 25kg Gravel	10700	
AS500T	500mm dia filter with clamp mounted 1.5" MPV	24055	
AS5001	11.52m ³ /hr. 0.22m ² , 75kg sand & 25kg Gravel	24055	
ACCEOT	650mm dia filter with clamp mounted 1.5" MPV	22500	
AS650T	16.20m ³ /hr. 0.28m ² , 150kg sand & 50kg Gravel	32500	
AC700T	700mm dia filter with clamp mounted 1.5" MPV	34030	
AS700T	20.40m ³ /hr. 0.37m ² , 200kg sand & 50kg Gravel	34030	
ACOOOT	800mm dia filter with bolt mounted 2" MPV	49000	
AS800T	24.90m ³ /hr. 0.50m ² , 250kg sand & 75kg Gravel		
AC000T	900mm dia filter with bolt mounted 2" MPV 33m³/hr.	58000	
AS900T	0.64m ² , 325kg sand & 100kg Gravel	38000	
AS1000T	1000mm dia filter with bolt mounted 2" MPV	74000	
	39.50m ³ /hr. 0.79m ² , 500kg sand & 200kg Gravel	74000	
AS1200T	1200mm dia filter with bolt mounted 2" MPV	95000	
	56.50m ³ /hr. 1.13m ² , 900kg sand & 300kg Gravel	33000	



SIDE MOUNTED FILTERS (RESIDENTIAL /SEMI COMMERCIAL POOLS)

High performance BOBBIN WOUND SAND MEDIA FILTER comes with SIDE MOUNT multiport valve has UV and corrosion resistant, Hydraulically balanced umbrella - fold laterals for balanced flow, backwashing and easy maintenance. Multi- port 6-way valve (Clamp / Bolt mounted) with lever-action handle, quick connect unions (Suits BS & ASTM pipes) Integral sight glass, manometer, air-bleed apparatus, working pressure of 2.5bar. (Flow details are at a filtration velocity of 50m3/m2/hr)

AS450S 0.13m², 60kg sand & 25kg Gravel AS500S 500mm dia filter with clamp mounted 1.5" MPV 11.52m³/hr. 0.22m², 75kg sand & 25kg Gravel AS650S 650mm dia filter with clamp mounted 1.5" MPV 16.20m³/hr. 0.28m², 140kg sand & 50kg Gravel AS700S 700mm dia filter with clamp mounted 1.5" MPV 20.40m³/hr. 0.37m², 190kg sand & 50kg Gravel AS800S 800mm dia filter with bolt mounted 2" MPV 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel 900mm dia filter with bolt mounted 2" MPV 33m³/hr.
ASSOUS 11.52m³/hr. 0.22m², 75kg sand & 25kg Gravel 650mm dia filter with clamp mounted 1.5" MPV 16.20m³/hr. 0.28m², 140kg sand & 50kg Gravel 700mm dia filter with clamp mounted 1.5" MPV 20.40m³/hr. 0.37m², 190kg sand & 50kg Gravel 800mm dia filter with bolt mounted 2" MPV 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel
11.52m³/hr. 0.22m², 75kg sand & 25kg Gravel 650mm dia filter with clamp mounted 1.5" MPV 16.20m³/hr. 0.28m², 140kg sand & 50kg Gravel 700mm dia filter with clamp mounted 1.5" MPV 20.40m³/hr. 0.37m², 190kg sand & 50kg Gravel 800mm dia filter with bolt mounted 2" MPV 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel 59995
AS650S 16.20m³/hr. 0.28m², 140kg sand & 50kg Gravel 700mm dia filter with clamp mounted 1.5" MPV 20.40m³/hr. 0.37m², 190kg sand & 50kg Gravel 800mm dia filter with bolt mounted 2" MPV 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel
16.20m³/hr. 0.28m², 140kg sand & 50kg Gravel 700mm dia filter with clamp mounted 1.5" MPV 20.40m³/hr. 0.37m², 190kg sand & 50kg Gravel 800mm dia filter with bolt mounted 2" MPV 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel 59995
AS700S 20.40m³/hr. 0.37m², 190kg sand & 50kg Gravel 800mm dia filter with bolt mounted 2" MPV 59995 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel
20.40m³/hr. 0.37m², 190kg sand & 50kg Gravel 800mm dia filter with bolt mounted 2" MPV 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel 59995
AS800S 24.90m³/hr. 0.50m², 250kg sand & 70kg Gravel 59995
24.90m ³ /hr. 0.50m ² , 250kg sand & 70kg Gravel
900mm dia filter with holt mounted 2" MPV 33m ³ /hr
AS900S Softim dia inter with bolt mounted 2 MFV 33iii / III. 67000
0.64m ² , 310kg sand & 100kg Gravel
AS1000S 1000mm dia filter with bolt mounted 2" MPV 89000
39.50m³/hr. 0.79m², 475kg sand & 200kg Gravel
AS1000SL 1000mm dia filter with bolt mounted 2.5" MPV 136000
39.50m³/hr. 0.79m², 475kg sand & 200kg Gravel
AS1200S 1200mm dia filter with bolt mounted 2" MPV 110000
56.50m ³ /hr. 1.13m ² , 875kg sand & 300kg Gravel
AS1200SL 1200mm dia filter with bolt mounted 2.5" MPV 156000
56.50m³/hr. 1.13m², 875kg sand & 300kg Gravel
1200mm dia filter with bolt mounted 2.5" Flange
AS1200C 2.5F connection, 56.50m³/hr. 1.13m², 875kg sand & 300kg 133000
Gravel (NO Valve)
1200mm dia filter with bolt mounted 3" Flange
AS1200C 3"F connection, 56.50m³/hr. 1.13m², 875kg sand & 300kg 150000
Gravel (NO valve)





Code	Description	Drice (IND)	Imaga
Number	Description	Price (INR)	Image

COMMERCIAL FILTERS

Commercial models Side mounted sand media filter with UV and corrosion resistant, Hydraulically balanced umbrella - fold laterals for balanced flow, backwashing and easy maintenance, Flanged end connections for Valve battery assembly. Top opening of 300mm dia for media filling. (Valve battery not included) (Flow details are at a filtration velocity of 40m3/m2/hr)

AS1400C	1400mm dia filter with 110mm Flange connections 61m3/hr/1760/500kgs	320000
AS1600C	1600mm dia filter with 110mm Flange connections 80m3/hr/2450/750kgs	396000
AS1800C	1800mm dia filter with 160mm Flange connections 101m3/hr/3150/750kgs	568000
AS2000C	2000mm dia filter with 160mm Flange connections 125m3/hr/3800/1150kgs	655000
AS2300C	2300mm dia filter with 200mm Flange connections 166m3/hr/5030/1600kgs	1180000
AS2500C	2500mm dia filter with 200mm Flange connections 200m3/hr/5950/2200kgs	1450000
AS3000C	3000mm dia filter with 200mm Flange connections 282m3/hr/8600/3300kgs	2400000
CADEDIDORER		



CARTRIDGE FILTER

Heavy duty cartridge filter with ring lock Lid, Air bleeder nut, Oil filled pressure gauge working pressure of 2.5bar with quick connect unions (Suits BS/ASTM pipes)

ASCF25	Cartridge Filter & Base with 25 sq.ft, 5.5m³/hr, 40/50mm Solvent connections	11000	
ASCF50	Cartridge Filter & Base with 50 sq.ft, 11.4m³/hr, 40/50mm Solvent connections	13900	
ASCF75	Cartridge Filter & Base with 75 sq.ft, 17.0m³/hr, 40/50mm Solvent connections	16700	
ASCF100	Cartridge Filter & Base with 100sq.ft, 22.9m³/hr, 50/63mm Solvent connections	19800	
ASCF150	Cartridge Filter & Base with 150sq.ft, 33.4m³/hr, 50/63mm Solvent connections	22700	



Code Number	Description	Price (INR)	Image
CATEGORY: FIL	TERS ACCY HS CO	DE 84818049	GST 18%
VALVE BATTER	RY		
ASVB90	5 x 90mm Butterfly valve and pipe fittings VB	58000	
ASVB110	5X 110mm Butterfly valve and pipe fittings VB	89000	
ASVB125	5 x 125mm Butterfly valve and pipe fittings VB	114000	
ASVB160	5 x 160mm Butterfly valve and pipe fittings VB	165000	
ASVB200	5 x 200mm Butterfly valve and pipe fittings VB	290000	
	pipe of 10 BAR, Local make		
TOP MOUNT M	ULTI PORT VALVE (WITHOUT PIPING)		
ASMPV150T	Multi port valve 1.5" Top Mounted	8760	
ASMPV200T	Multi port valve 2" Top Mounted	11700	
SIDE MOUNT M	ULTI PORT VALVE (WITHOUT PIPING)		
ASMPV150S	Multi port valve 1.5" Side Mounted	8760	
ASMPV200S	Multi port valve 2" Side Mounted	11700	
ASMPV250S	Multi port valve 2.5" Side Mounted	36000	
ASMPV250SW	Multi port valve 2.5" Side Mounted (WATERCO)	49900	
AUTOMATIC M	ULTI PORT VALVE (WITHOUT PIPING)		
ASMPV150SA	Automatic Multi port valve 1.5" Side Mounted	ТВА	
ASMPV200SA	Automatic Multi port valve 2" Side Mounted	TBA	
ASMPV300SA	Automatic Multi port valve 3" Side Mounted	ТВА	1



Code
Number

Description

Price (INR)

Image

CATEGORY: PUMPS

HS CODE 84133030

GST 12%

PUMPS FOR PRIVATE & RESIDENTIAL POOLS

Centrifugal self priming pump with high hydraulic efficiency, chemical resistant and ultra quiet operation. Integrated along with IP-55 protection- class F continuous rating motors. Pump shall be of one piece body made in fibreglass and reinforced polypropylene, integrated pre-filter with strainer basket, fast opening translucent transparent polypropylene lid, easy opening lid system, 316 SS Shaft and mechanical seal. Plastic impeller, 63mm suction & 63mm return union connections.

QRR050S	0.5HP, 0.37KW, I Phase Pump, 63/63mm PVC connections	21000
QRR075S	0.75HP,0.55KW, I Phase Pump, 63/63mm PVC connections	22000
QRR100S	1.0HP, 0.75KW, I Phase Pump, 63/63mm PVC connections	23000
QRR150S	1.5HP, 1.10KW, I Phase Pump, 63/63mm PVC connections	29500
QRR200S	2.0HP, 1.50KW, I Phase Pump, 63/63mm PVC connections	36000
QRR300S	3.0HP, 2.20KW, I Phase Pump, 63/63mm PVC connections	39900
QRR300T	3.0HP, 2.20KW, III Phase Pump, 63/63mm PVC connections	39900



PUMPS FOR COMMERCIAL POOLS

Centrifugal self priming pump with high hydraulic efficiency, chemical resistant and ultra quiet operation. Integrated along with IP-55 protection- class F continuous rating motors. Pump shall be of one piece body made in fibreglass and reinforced polypropylene, integrated pre-filter with strainer basket, fast opening translucent transparent polypropylene lid, easy opening knob lid system, 316 SS Shaft and mechanical seal. Plastic impeller, 110mm suction & 90mm return union connections.

QRC300T	3.0HP, 2.20KW, III Phase Pump, 110/90mm PVC connections	85000
QRC400T	4.0HP, 3.0KW, III Phase Pump, 110/90mm PVC connections	92500
QRC550T	5.5HP, 4.0KW, III Phase Pump, 110/90mm PVC connections	99900



Centrifugal self priming pump with high hydraulic efficiency, chemical resistant and ultra quiet operation. Integrated along with IP-55 protection- class F continuous rating motors. Pump shall be of two piece body made in cast iron, integrated cast iron pre-filter with strainer basket, fast opening translucent transparent polypropylene lid, easy opening metal knob lid system, 316 SS Shaft and mechanical seal. HT200 Metal impeller, flanged end connections

QRC750T	7.5HP, 5.50KW, III Phase Pump, 110/90 connections	168000	11
QRC1000T	10.0HP, 7.50KW, III Phase Pump, 110/90 connections	180000	(
QRC1250T	12.5HP, 11.0KW,III Phase Pump, 110/90 connections	278000	





Code
Number

Description

Price (INR)

Image

PUMPS FOR SPA (WITHOUT PRE-FILTER)

Centrifugal self priming pump with high hydraulic efficiency, chemical resistant and ultra quiet operation. Integrated along with IP-55 protection- class F continuous rating motors.. Pump shall be of one piece body made in fibreglass and reinforced polypropylene, WITHOUT pre-filter, 316 SS Shaft and mechanical seal. Plastic impeller, 90mm suction & 90mm return union connections.

QRCC300T	3.0HP, 2.20KW, III Phase Pump, 90/90mm PVC connections	68000
QRCC400T	4.0HP, 3.00KW, III Phase Pump, 90/90mm PVC connections	73000
QRCC500T	5.5HP, 4.00KW, III Phase Pump, 90/90mm PVC connections	85000



COUNTER CUR	RENT UNITS (WITHOUT PUMPS) HSCOD	E 84139190	GST 18%
CCUF	Counter current unit is a kit that includes a front panel, nozzle set, wall housing and a pneumatic ON/OFF switch. (PUMP NOT INCLUDED)	49900	O DE
PAHLEN-M	PAHLEN MOTION Counter current unit is a kit that includes a front panel, nozzle set, wall housing and a pneumatic ON/OFF switch. (PUMP NOT INCLUDED)	197500	
PAHLEN-A	PAHLEN ATHLETE Counter current unit is a kit that includes a front panel, nozzle set, wall housing and a pneumatic ON/OFF switch. (PUMP NOT INCLUDED)	270000	
CCUP	Counter Current Unit control panel, Plastic tube, Pneumatic switch	20000	

COUNTER CURRENT UNIT COMPLETE SET

ASPower2200C

Counter current unit is a kit that includes a front panel, nozzle set, wall housing and a pneumatic ON/OFF switch. A pump without strainer basket, valves, control panel is included

CCU300T	3.0HP, 2.20KW, III Phase Pump, 90/90mm PVC	127000
	connections	127000
CCU400T	4.0HP, 3.00KW, III Phase Pump, 90/90mm PVC	134000
	connections	154000
CCLIFOOT	5.5HP, 4.00KW, III Phase Pump, 90/90mm PVC	142000
CCU500T	connections	143000



43000

Frequency Invertor panel to control pump with 35 running speeds, 4 timer programs, classic touch control capable to handle upto 3 HP/1Phase pumps

handle upto 3 HP/1Phase pumps				
				G was the

AIR BLOWER HS CODE 84145990 GST 18%

Directly coupled to electric motors, continues rated, IP55 production, class F insulation air blowers, comes with suction filter

ASAB370	370W, 0.5HP Single Phase	30000
ASAB750	750W, 1HP Single Phase	33000
ASAB1100	1100W 1.5HP Single Phase	43000
ASAB1500	1500W 2HP Single Phase	46200
ASAB2200	2200W 3HP Three Phase	85000
ASAB3000	3000W 4HP Three Phase	91000



Note: Any sizes larger than listed could be made available on request

Invertor panel upto 3 HP/1Ph



Code Number	Description	Price (INR)	Image
CATEGORY:	MAINTENANCE HS CODE 3	9269399	GST 18%
MAINTENANCE	ACCESSORIES		
ASWBH	18" (450mm) Heavy duty wall brush with poly bristle - Dark blue colour	1350	
ASWBER	18" (460mm) ECO Wall brush- with Polypropylene bristles, with heavy duty plastic handle, clip in fastening	830	
ASWBHR	18" (460mm) Wall brush- with Polypropylene bristles, Polished Aluminium reinforced back & handle, clip in fastening	1260	
ASABH10	10"(250mm) Algae brush- SS bristle, clip in fastening- Dark Blue	950	
ASABHR	10" (250mm) Algae brush - with SS bristles, Polished Aluminium reinforced back & handle, clip in fastening	1480	
ASABH5	5"(125mm) Algae brush- SS bristle, clip in fastening- Dark Blue	690	
ASFNH	Heavy duty Flat net with 5 Micron mesh, clip in fastening- Dark Blue	840	
ASFNHR	Heavy duty Flat Net model with Polypropylene, puncture resistant net, Aluminium frame & handle	1350	E de la constantina della cons
ASDNH	Heavy duty 15" deep net with 5 Micron mesh, clip in fastening- Dark Blue	1050	
ASDNHR	Heavy duty Deep Net model with Polypropylene, puncture resistant net , Aluminium frame & handle	1450	



Code Number	Description	Price (INR)	Image
ASFVH350P	350mm Flexible VAC head with swivel hose connections, clip in fastening, Dark Blue	1850	
ASFVH350R	Heavy duty 350mm Vacuum Head with Multidirectional handle with bottom rolling balls and bristles.	2800	0.0000
AS-TKS	Test Kit Spare	195	
AS-TK	3Way test kit, PH/CL/BR	490	
AS816	8-16' Telescopic pole with handgrip & clip-in fastening- Corrugated- Silver colour	2375	
AS1030	9-27', 3 part Telescopic pole with handgrip & clip- in fastening- Ribbed- Silver colour	5100	J.
AS412	4'-12' Telescopic pole with handgrip & clip-in fastening- Corrugated- Silver colour	1800	4
AS816R	8-16' Telescopic pole made of Anodised Aluminium tube, with TWIST lock cam, New handle grip ,handgrip & clip in fastening	3500	
ASALVH350	350mm Anodised Aluminium VAC head- clip in fastening-Silver	4300	
ASALVH450	450mm Anodised Aluminium VAC head- clip in fastening-Silver	8000	
ASHS06	6mtr hose	1980	
ASHS09	9mtr hose	2830	
ASHS12	12mtr hose	3640	
ASHS15	15mtr hose	4525	
ASHS18	18mtr hose	5372	
ASHS25	25mtr hose	8141	
ASHS30	30mtr hose	9770	



Code Number	Description	Price (INR)	Image
CATEGORY:	LIGHTS HS CODE 9405	54090	GST 12%
UNDER WATER	LIGHTS		
SS316 WALL M	ounted Lights for Fountain / Pool application	ns	
ASWM6SS	Stainless Steel 316 Wall mounted LED light 3W/ 6W- 12V, Warm White	15700	
ASWM18SS	Stainless Steel 316 Wall mounted LED light 10W/18W- 12V, Warm White	18500	⊕ (1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ASWM25SS	Stainless Steel 316 Wall mounted LED light 25W-12V, Warm White	20600	A
ASWM35SS	Stainless Steel 316 Wall mounted LED light 35W-12V, Warm White	27200	
ASWM60SS	Stainless Steel 316 Wall mounted LED light 60W-12V, Warm White	31000	
Cool White & RG	B is available on Request		
SS316 Stand/ N	iche Mounted Lights for Fountain / Pool app	lications	
ASNSM6SS	Stainless Steel 316 Stand/ Niche mounted LED light 3W/6W-12V, Warm White	9900	
ASNSM9SS	Stainless Steel 316 Stand/ Niche mounted LED light 9W-12V, Warm White	12000	
ASNSM12SS	Stainless Steel 316 Stand/ Niche mounted LED light 12W-12V, Warm White	13200	6
ASNSM18SS	Stainless Steel 316 Stand/ Niche mounted LED light 18W-12V, Warm White	15400	
Cool White & RG	B is available on Request		
SS316 Nozzle m	nounted Lights for underwater / Deck moun	ted applications	
ASRL9SS1	Stainless Steel 316 Facia- body Ring light 9W-12V - Warm white Suitable for 1" nozzle (32mm orifice)	15500	
ASRL15SS1	Stainless Steel 316 Facia- body Ring light 12W/15W-12V - Warm white Suitable for 1" nozzle (32mm orifice)	16600	
ASRL9SS2	Stainless Steel 316 Facia- body Ring light 9W-12V - Warm white Suitable for 1.5" nozzle (50mm orifice)	18400	
ASRL12SS2	Stainless Steel 316 Facia- body Ring light 12W-12V - Warm white Suitable for 1.5" nozzle (50mm orifice)	19500	15,00
ASRL18SS2	Stainless Steel 316 Facia- body Ring light 18W-12V - Warm white Suitable for 1.5" nozzle (50mm orifice)	20600	
Cool White & RG	B is available on Request		<u>'</u>



Code Number	Description	Price (INR)	Image
Wall Mounted I	Pool Lights (SS - ABS Ring Facia, SS body)		
ASWML12WWSS	Wall Mounted underwater pool light 12W-12V with SS Facia Ring- Warm white	4900	
ASWML12CWSS	Wall Mounted underwater pool light 12W-12V with SS Facia Ring- Cool white	4900	
ASWML12RSS	Wall Mounted underwater pool light 12W-12V with SS Facia Ring- RGB	5800	
ASWML25WWSS	Wall Mounted underwater pool light 25W-12V with SS Facia Ring- Warm white	10500	
ASWML35WWSS	Wall Mounted underwater pool light 35W-12V with SS Facia Ring- Warm white	13000	
Cool White & RG	B on 25,35W is available on Request		
Wall Mounted I	Pool Lights (ABS Facia & body)		
ASWML18WW	Wall Mounted underwater pool light 18W/12V with ABS Facia & Body - Warm white	7200	
ASWML18CW	Wall Mounted underwater pool light 18W/12V with ABS Facia & Body- Cool white	7200	
ASWML18R	Wall Mounted underwater pool light 18W/12V with ABS Facia & Body- RGB	8300	
Pool Lights - M	isc		
ASUWL300N	Concrete Pool U/W 300W /12V Light & Niche - 3m Cable	11000	
ASWMN100H	Halogen Wall Mounted Flat Light - ABS - 100w/12v	4200	
ASUWL50C	50W Light Push-Fit - Concrete Pools-ABS Faceplate	6900	
ASWML16-24W	LED Wall Mounted Flat Light - ABS-16-24w/24v With dimmable driver	9875	
ASDB	Deck Box(Suitable for Use with Lights) IP65	1200	
NOTE: Drivers &	Transformers are of extra cost		



Code Number	Description	Price (INR)	Image
CATEGORY:		9090	GST 18%
SS LADDERS &			
	SS Anti slip threads , Pinch anchor & Escutcheon , Ladder I	Bumper	
Standard Ladde		1	
ASSTD2	Standard Ladder - 2 Steps With Anti slip SS Threads SS 304, 42mm	11250	\sim
ASSTD3	Standard Ladder - 3 Steps With Anti slip SS Threads SS 304, 42mm	13100	(41
ASSTD4	Standard Ladder - 4 Steps With Anti slip SS Threads SS 304, 42mm	14910	
ASSTD5	Standard Ladder - 5 Steps With Anti slip SS Threads SS 304, 42mm	17100	
Overflow Ladde	er (Comes with Top double thread)		
ASOFF2	Overflow Ladder - 2 Steps With Anti slip SS Threads SS 304, 42mm	19420	\sim
ASOFF3	Overflow Ladder - 3 Steps With Anti slip SS Threads SS 304, 42mm	22300	
ASOFF4	Overflow Ladder - 4 Steps With Anti slip SS Threads SS 304, 42mm	25400	~
ASOFF5	Overflow Ladder - 5 Steps With Anti slip SS Threads SS 304, 42mm	28300	,
Club Ladder			
ASCL2	Club Ladder - 2 Steps With Anti slip SS Threads SS 304, 42mm	11250	\triangle
ASCL3	Club Ladder - 3 Steps With Anti slip SS Threads SS 304, 42mm	13100	
ASCL4	Club Ladder - 4 Steps With Anti slip SS Threads SS 304, 42mm	14910	
ASCL5	Club Ladder - 5 Steps With Anti slip SS Threads SS 304, 42mm	17100	
Under Cover La	dder (Comes with Top double thread)		
ASUCL2	Under cover ladder - 2 Steps With Anti slip SS Threads SS 304, 42mm	32000	Ω
ASUCL3	Under cover Ladder - 3 Steps With Anti slip SS Threads SS 304, 42mm	36000	
Note: 316 model	s of all type LADDERS are available with extra lea	ad time. Prices on r	equest
Hand Rails			
ASHR1	Hand Rail - 1 Mtr Long With Closed Bracket SS 304, 38 mm	5250	
ASHR2	Hand Rail - 2 Mtr Long With Closed Bracket SS 304, 38 mm	6500	
ASHR3	Hand Rail - 3 Mtr Long With Closed Bracket SS 304, 38 mm	8500	
ASHR4	Hand Rail - 4 Mtr Long With Closed Bracket SS 304, 38 mm	11000	



Code Number	Description	Price (INR)	Image
CATEGORY:	BASIN FITTINGS HS CODE 39	269099	GST 18%
ABS POOL BAS	IN EQUIPMENTS		
ASWIT	Angle / Flow Adjustable ABS Wall Inlet in ABS 2" Outer threaded & 1.5" Inside threaded connections 5-9 m3/hr. WHITE colour available and suitable for 6Kg & 10Kg Pipes	350	
ASWIS	Angle / Flow Adjustable ABS Wall Inlet in ABS 63mm Outer solvent & 1.5" Inside threaded connections 5- 9m3/hr. WHITE colour available and suitable for 6Kg & 10Kg Pipes	350	
ASVPT	Vacuum Point in ABS 2" threaded connections, WHITE colour available and suitable for 6Kg &10Kg Pipes	350	
ASVPS	Vacuum Point in ABS 63mm solvent connections, WHITE colour available and suitable for 6Kg &10Kg Pipes	350	
ASFIT	Adjustable floor inlet in ABS Standard design 2" threaded connections 9m3/hr - 12 m3/hr	436	
ASFIS	Adjustable floor inlet in ABS Standard design 63mm solvent connections 9m3/hr - 12 m3/hr	436	
ASFIDT	Adjustable floor inlet in ABS Diffuser design 2" threaded connections 9m3/hr - 12 m3/hr	436	And the second
ASFIDS	Adjustable floor inlet in ABS Diffuser design 63mm Solvent connections 9m3/hr - 12 m3/hr suitable for 6Kg &10Kg Pipes	436	18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ASOFF	Gutter Drain in ABS 50mm Solvent connections 7m3/hr.	400	
ASWC	Wall conduit for Fitting 2" threaded	540	
ASCMD200	Main drain with anti entrapment grille complete for Concrete Pools 200mm dia, 1 1/2" connections 18m3/hr.	1800	



Code Number	Description	Price (INR)	Image
ASCMD150G	Circular Main Drain- Frame & Grille in ABS 150mm dia 18 m3/hr.	700	
ASMD225	Square Main Drain- Frame & Grille in ABS 225 x 225mm 20 m3/hr.	1070	
ASMD300	Square Main Drain- Frame & Grille in ABS 300 x 300mm 33 m3/hr.	1290	
ASMD450SF	Square Main Drain Frame in SS & grille in ABS 450x450mm 80m3/hr.	18000	
ASMD600SF	Square Main Drain Frame in SS & grille in ABS 600x600mm 132m3/hr.	19500	
ASSK15	Skimmer - Square in ABS 15 LTR capacity 5 m3/hr.	3900	
ASOFF250	Overflow gratings 250mm PPG	1150	444444444
ASOFF300	Overflow gratings 300mm PPG	1300	
SS POOL BASIN	REQUIPMENTS HS CODE 73242	2900	GST 18%
ASCMD150SS	Circular Main Drain- Frame in ABS & Grille in SS	4500	(E)
ASMD225SS	Square Main Drain Frame in ABS & Grille in SS 225x225mm 20m3/hr.	5500	
ASMD300SS	Square Main Drain Frame & Grille in SS 300x300mm 30m3/hr.	6300	
ASMD500S	Square Main Drain Frame & Grille in SS 500X500mm 100m3/hr.	27000	



Code Number	Description	Price (INR)	Image
ASVPSS	Vacuum Point & cover Square in SS 50mm threaded connections	5500	
ASVPSC	Vacuum point & cover Circle in SS 50mm threaded connections	5500	
ASWISC	Adjustable Wall Inlet Circle in SS 50mm threaded connections 5m3/hr.	4500	
ASWISS	Adjustable Wall Inlet Square In SS 50mm threaded connections 5m3/hr.	4500	
ASFISC	Adjustable Floor Inlet Circle in SS 50mm threaded connections 9m3/hr.	8200	
ASFISS	Adjustable Floor Inlet Square in SS 50mm threaded connections 9m3/hr.	9200	
ASOFFSS	SS Gutter Drain 50mm threaded connections 7m3/hr.	7500	
SPA FITTINGS	HS CODE 39219	099	GST 18%
ASJN5032	Spa nozzles with a flow rate of 4.5 cu.mtr. Water connections: 50mm & air connections: 32mm (BS & ASTM connections available)	1800	22
ASJN3232	Spa nozzles with a flow rate of 4.5 cu.mtr. Water connections: 32mm & air connections: 32mm	3500	2
ASSPD	Spa suction Chrome Plated with 1.5" / 2" Straight connections	2200	



Code Number	Description	Price (INR)	Image
ASCPSPD	Spa suction Chrome Plated with 1.5" / 2" Elbow connections	2500	
ASBLN	Air bubbler nozzle-20mm connections	706	
ASAVC	Air volume controller to regulate the air flow in the nozzle	1020	C
ASPB	Pushbutton ABS with 1" threaded connections	1800	
ASPNS	Pneumatic switch for pump control panel to connect the push button.	2400	55
ASAT	Air Tube Per mtr . (Only Sold in Multiples of 25mtr)	3200	



Code Price (INR) **Description Image** Number **CATEGORY: SANITATION UV SYSTEMS GST 18% HS CODE 84212190** UVC System for Residential Pool with Timer, SS body **UVC TIMER 40W** Blue Lagoon UVC Timer 40000L/40Watt, 11m3/hr 75000 **UVC TIMER 75W** Blue Lagoon UVC Timer 75000L/75Watt, 16m³/hr 79000 UVC TIMER 130W | Blue Lagoon UVC Timer 150000L/130Watt, 22m³/hr 145000 **UVC system - Semi Commercial Pools UVC PRO 75W** UVC Pro 75000L/75Watt, 18m3/hr TBA **UVC PRO 130W** UVC Pro 150000L/130Watt 22m3/hr TBA UVC PRO BUSTER UVC Pro BUSTER 450000L/3 X 130Watt, 35m³/hr TBA **UVC Systems Special Items** UVC COP ION 40W | Blue Lagoon Copper Ioniser 40000L/40Watt, 11m³/hr TBA TBA UVC COP ION 75W Blue Lagoon Copper Ioniser 75000L/75Watt, 22m³/hr **UVC OZONE 75W** Blue Lagoon OZONE UVC 75000L/75Watt, 18m3/hr 105000 Plastic UVC without Timer 15W UV, Suitable for 7.5-15KLtrs, 1.5" connections with EV015 26500 hose tails 25W UV, Suitable for 10-20KLtrs, 1.5" connections with EV016 37500 hose tails 30W UV, Suitable for 15-30KLtrs, 1.5" connections with EV017 40000 hose tails 55W UV, Suitable for 20-55KLtrs, 1.5" connections with EV018 51000 hose tails 75W UV, Suitable for 25-75KLtrs, 1.5" connections with EV019 59000 110W UV, Suitable for 25-75KLtrs, 1.5" connections EV020 80000 with hose tails



Code Number	Description	Price (INR)	Image
OZONATOR	HS CODE 8421	12190	GST 18%
PROZONE SYST	TEMS- UV method		
PZ7-1	Prozone 40 m3 Recommended Pool Volume	106000	
PZ7-2	Prozone 60 m3 Recommended Pool Volume	153000	
PZ2-1	Prozone 90 m3 Recommended Pool Volume	250000	
PZ2-2	Prozone 180 m3 Recommended Pool Volume	320000	The second secon
PZ2-4	Prozone 300 m3 Recommended Pool Volume	525000	
PZ2-8	Prozone 400 m3 Recommended Pool Volume	795000	
Note: Above iter	ns ordered with LEAD time 4 to 5weeks		
SALT CHLORIN	ATOR HS CODE 84138	190	GST 18%
AQR940	HAYWARD Salt Chlorinator suitable upto 160 m3, along with control box & electrolysis cell with its electrode.	260000	OHANWARD Agia Rite
AQR15-PRO	HAYWARD Automated ORP &PH control with Salt Chlorinator suitable upto 160 m3, along with control box & electrolysis cell with its electrode.	ТВА	
COMMERCIAL U	UV HS CODE 842	212190	GST 18%

SS316 BODY VGE UV system designed to work at Medium pressure capable to dose UV at a rate of 400J/m2. Comes with reactor chamber with 6 BAR maximum pressure rating. The unit shall used AOP, Advanced oxidation processes. The UV comes with control panel and monitor with sensors to check UV & temperature (Sensors are optional & extra cost). The Lamp base shall be equipped with SMART PIN TECHNOLOGY where the lamp shall be removed when the system is pressurised. The UV lamp expected life time shall be 16000 hrs..

BL420-168	BLUE LAGOON Commercial UV suitable upto 78 m3/hr, with 90mm connections	990000	Vocano
BL400-204	BLUE LAGOON Commercial UV suitable upto 92 m3/hr, with 100mm connections	1080000	II.
BL600-219	BLUE LAGOON Commercial UV suitable upto 140 m3/hr,with 125mm connections	1200000	
BL975-306	BLUE LAGOON Commercial UV suitable upto 306 m3/hr,with 250mm connections	3008000	

Note: Control options with Basic, Monitor+ available. Add on sensors available to protect UV & over heat



Code Number	Description	Price (INR)	Image
OSING SYSTE	MS HS CODE 841	138190	GST 18%
ASCDP505	Chemical dosing pump, 5LPH@5Bar	9900	
ASCDT100	Chemical Dosing tank 100LTR	4300	
ASCDT60	Chemical Dosing tank 60LTR	2700	
ASSTR600	Stirrer 600mm Long	2200	2
ASSTR900	Stirrer 900mm Long	4000	-
ASCF9	9LBS / 4 Kg, Chemical Feeder (HS code 39269099)	4900	
VATER FA	LLS		
CRYLIC WAT	ER FALL HS CODE	39264099	GST 18%
ASWF300A	300mm wide Recommended flow 3m³/hr, Max recommended heights in 300mm, 40mm connections	13100	
ASWF600A	600mm wide Recommended flow 6m³/hr, Max recommended heights in 750mm, 40mm connections	19000	
ASWF900A	900mm wide Recommended flow 9m³/hr, Max recommended heights in 1000mm, 2x 40mm connections	25000	
ASWF1200A	1200mm wide Recommended flow 12m³/hr, Max recommended heights in 1200mm, 2x 40mm connections	29900	
WATER FAL		900	GST 18%
ASWF300SS	300mm wide Recommended flow 5m³/hr, Max recommended heights in 300mm	14990	
ASWF600SS	600mm wide Recommended flow 7m³/hr, Max recommended heights in 750mm	23990	
ASWF900SS	900mm wide Recommended flow 11m³/hr, Max recommended heights in 1000mm	29200	
	1200mm wide Recommended flow 14m³/hr, Max	38800	

Note: To increase height of fall, Pls multiply recommended flow by 50%. SS waterfall with illumination available on request.



Code Price (INR) **Description Image** Number **CATEGORY: WATER CURTAIN** CURTAIN HS CODE 73242900 **GST 18%** Water cannon mini300 - H-300xW-300mm, Flow -ASCANMINI300 26000 7m3/hr, inlet PVC connections 50mm (1-1/2") Water cannon mini500 - H-500xW-500mm, Flow -ASCANMINI500 43000 16m3/hr, inlet PVC connections 63mm (2") Water cannon maxi500 - H-500xW-500mm, Flow -ASCANMAXI500 53125 16m3/hr, inlet PVC connections 63mm (2") Cobra Water fall mini500- H-500xW-500mm, Flow -ASCOBMINI500 43000 16m3/hr, inlet PVC connections 63mm (2") Cobra Water fall maxi500- H-500xW-500mm, Flow -ASCOBMAXI500 49000 16m3/hr, inlet PVC connections 63mm (2") Cobra Water fall ultra400- H-1000xW-400mm, Flow -ASCOBUL400 76200 11m3/hr, inlet PVC connections 63mm (2")

Note: All the above items SS water features supplied with installation kit, cost is included with the above prices.



Code Number Description Price (INR) Image

HEATERS HS CODE 85161000 GST 18%

Electrical Heater with Fiberglass reinforced housing, Titanium element, Thermostat, overheating protection, suitable for Horizontal installation, comes with 50mm union connections, useful also for Salt pools. Made by Pahlen-Sweden

ASPH3ELT	Electrical Heater Titanium elements, 3000W, 1/3Phase	75000
ASPH6ELT	Electrical Heater Titanium elements, 6000W, 1/3Phase	77000
ASPH9ELT	Electrical Heater Titanium elements 9000W, 1/3Phase	80000
ASPH12ELT	Electrical Heater Titanium elements 12000W, 1/3Phase	84000
ASPH15ELT	Electrical Heater Titanium elements 15000W, 1/3Phase	87000
ASPH18ELT	Electrical Heater Titanium elements 18000W, 1/3Phase	90000



Note: Incoloy element heater also available on request which is very competitive in price

INVERTOR HEAT PUMPS

HS CODE 84186100

GST 18%

Heat pump with DC-TWIN invertor compressor, Twisted Titanium heat exchanger for higher efficiency, EEV technology for increased COP, R32 gas (eco friendly than R410A), silent model in the industry

AS90I	Invertor Heat Pump Domestic, 9KW Output (0.19-1.38KW INPUT)	275000
AS130I	Invertor Heat Pump Domestic, 13KW Output (0.26-1.80KW INPUT)	395000
AS170I	Invertor Heat Pump Domestic, 17KW Output (0.33-2.50KW INPUT)	475000
AS210I	Invertor Heat Pump Domestic, 21KW Output (0.38-2.90KW INPUT)	595000
AS280I	Invertor Heat Pump Domestic, 28KW Output (0.49-3.80KW INPUT)	690000
AS350SI	Invertor Heat Pump Domestic, 35KW Output (0.65-4.84KW INPUT)	860200



HEAT PUMPS HS CODE 84186100 GST 18%

Heat pump with Patented Titanium heat exchanger, Exterior UV protected ABS body, with reversible defrosting and R410A Gas. Single fans upto 21KW & Twin fans for 26 & 31KW

HPD5.5	Heat Pump Domestic, 5.5KW Output	99000
HPD12.5	Heat Pump Domestic, 12.5KW Output	235000
HPD15	Heat Pump Domestic, 15KW Output	338000
HPD17	Heat Pump Domestic, 17KW Output	365000
HPD21	Heat Pump Domestic, 21KW Output	383000
HPD26	Heat Pump Domestic, 26KW Output	399000
HPD31	Heat Pump Domestic, 31KW Output	528000







Code Number	Description	Price (INR)	Image
· · · · ·	ented Titanium heat exchanger, Exterior protected META win fans for 35,45,55,70KW, Three fans for all larger mode	• •	le defrosting and R410A
HPC35	Heat Pump Commercial, 35KW Output	795000	
HPC45	Heat Pump Commercial, 45KW Output	885000	
HPC55	Heat Pump Commercial, 55KW Output	968000	
НРС70	Heat Pump Commercial, 70KW Output	1345000	
HPC90	Heat Pump Commercial, 90KW Output	1700000	
HPC105	Heat Pump Commercial, 105KW Output	1900000	
HPC135	Heat Pump Commercial, 135KW Output	2715000	
POOL COVERS	HS CODE 3920	1099	GST 18%
Unique patented de Made by Plastipak-	esign of Geo bubble in cover with increased resilience again UK	nst UV, comes in DARk	(BLUE- SILVER colour,
ASPBG4M	4 Mtr Wide Geo Bubble cover- 500 micron (Price in Linear meter)	5400	
ASPBG5M	5 Mtr Wide Geo Bubble cover- 500 micron (Price in Linear meter)	6750	
ASPBG6M	6 Mtr Wide Geo Bubble cover- 500 micron (Price in Linear meter)	8100	
ASPBG65M	6.5 Mtr Wide Geo Bubble cover- 500 micron (Price in Linear meter)	9950	
POOL COVER R	OLLER HS CODE 7324	2900	GST 18%
AS PCR 412	Aqvastar SS316 Pool Cover roller suitable for cover sizes up to 4 Mtr for a Length of pool 12 meters	75000	
AS PCR 520	Aqvastar SS316 Pool Cover roller suitable for cover sizes up to 5 Mtr for a Length of pool 20 meters	85000	A
AS PCR 630	Aqvastar SS316 Pool Cover roller suitable for cover sizes up to 6 Mtr for a Length of pool 30 meters	95000	100
AS PCR 6530	Aqvastar SS316 Pool Cover roller suitable for cover sizes up to 6.5 Mtr for a Length of pool 30 meters	125000	
AS PCR 630T	Aqvastar SS316 TWIN Pool Cover roller suitable for cover sizes up to 6 Mtr for a Length of pool 30 meters (capable to hold 2 rolls)	185000	
AS PCR 630M	Aqvastar SS316 MULTI Pool Cover roller suitable for cover sizes up to 6 Mtr for a Length of pool 30 meters (capable to hold 3 rolls)	225000	Philosophy and the second



Code Number	Description	Price (INR)	Image		
CATEGORY:	CATEGORY: CONTROL SYSTEM				
VALVES	HS CODE 8	4818049	GST 18%		
Single Union - Full p	oort, grey colour single union socketed ball valve with Te	flon seats and EPDM s	eals		
ASSUS100B	1"(32mm) BS standard -Socketed end	355			
ASSUS125B	1-1/4" (40mm) BS Standard -Socketed end	500			
ASSUS150B	1-1/2" (50mm) BS Standard -Socketed end	760			
ASSUS200B	2" (63mm) BS Standard -Socketed end	1180	TO NOT SHOW		
ASSUS250B	2-1/2" (75mm) BS Standard -Socketed end	2120			
ASSUS300B	3" (90mm) BS Standard -Socketed end	4100			
Double Union - Full	port, grey colour double union socketed ball valve with	Teflon seats and EPDN	Л seals		
ASDUS150B	1-1/2" (50mm) BS Standard -Socketed end	935			
ASDUS200B	2" (63mm) BS Standard -Socketed end	1500			
Butterfly Valve	S				
BFT200F	Butterfly valve 63mm	2080			
BFT250F	Butterfly valve 75mm	2080			
BFT300F	Butterfly valve 90mm	2725			
BFT400F	Butterfly valve 110mm	3330			
BFT600F	Butterfly valve 160mm	6300			
BFT800F	Butterfly valve 200mm	28000			
PVC flanges (N	ut & Bolt not included) HS COI	DE 84818090	GST 18%		
FLT200	Van stone flange adaptor 63mm dia BS Standard	360			
FLT250	Van stone flange adaptor 75mm dia BS Standard	525			
FLT300	Van stone flange adaptor 90mm dia BS Standard	570	050		
FLT400	Van stone flange adaptor 110mm dia BS Standard	1212			
FLT600	Van stone flange adaptor 160mm dia BS Standard	1950			
FLT800	Van stone flange adaptor 200mm dia BS Standard	3900			
Wafer/ Flap typ	oe check valve				
FCV250	Flap type check valve 75mm	1320	0		
FCV300	Flap type check valve 90mm	1452	Ĭ		
FCV400	Flap type check valve 110mm	1955	P		
FCV600	Flap type check valve 160mm	3100			
FCV800	Flap type check valve 200mm	7500			



Code Number	Description	Price (INR)	Image	
Single union ch	eck valve			
SUCV150B	Single union check valve 50mm (1-1/2") -Socketed end	745		
SUCV200B	Single union check valve 63mm (2") -Socketed end	1240		
PIMTAS - Single seats and EPDM	e Union - Full port, grey colour single union s I seals	ocketed ball valv	e with Teflon	
ASSPIM100B	1"(32mm) BS standard -Socketed end	823		
ASSPIM125B	1-1/4" (40mm) BS Standard -Socketed end	940		
ASSPIM150B	1-1/2" (50mm) BS Standard -Socketed end	1176		
ASSPIM200B	2" (63mm) BS Standard -Socketed end	1415		
ASSPIM250B	2-1/2" (75mm) BS Standard -Socketed end	3720		
ASSPIM300B	3" (90mm) BS Standard -Socketed end	4950		
PIMTAS - Double seats and EPDM	le Union - Full port, grey colour single union I seals	socketed ball val	ve with Teflon	
ASDPIM100B	1"(32mm) BS standard -Socketed end	1030		
ASDPIM125B	1-1/4" (40mm) BS Standard -Socketed end	1140		
ASDPIM150B	1-1/2" (50mm) BS Standard -Socketed end	1300		
ASDPIM200B	2" (63mm) BS Standard -Socketed end	1770		
ASDPIM250B	2-1/2" (75mm) BS Standard -Socketed end	4400		
ASDPIM300B	3" (90mm) BS Standard -Socketed end	5820		
Butterfly Valves	s			
BFTPIM200F	Butterfly valve 63mm	5900		
BFTPIM250F	Butterfly valve 75mm	6500		
BFTPIM300F	Butterfly valve 90mm	7000		
BFTPIM400F	Butterfly valve 110mm	8000		
BFTPIM600F	Butterfly valve 160mm	12000		
DOUBLE UNION CHECK VALVE				
ASDCPIM150B	Double union check valve 50mm (1-1/2")	1200		
ASDCPIM200B	Double union check valve 63mm (2")	1575	The state of the s	
ASDCPIM250B	Double union check valve 75mm (2.5")	3675		
Note: ASTM end	connections shall be arranged on double union v	valves on request.		



Code Number	Description	Price (INR)	Image
CATEGORY: CO	MPETITION EQUIPMENTS HS CODI	E 73242900	GST 18%
ASSB355	Starting Block 355 high with SS support	33000	
ASSB700	Starting Block 700 high with SS support	59000	
ASBSI	Back stroke indicator post of SS316 with installation kit	45000	
ASFSI	False start post indicator of SS316 with installation kit	45000	
ASAWF50	Float Line rope in PVC, 50 meter (each)	83500	
ASAWF25	Float Line rope in PVC, 25 meter (each)	45000	1988
ASLGC	Life Guard Chair 1800mm high SS316	145000	
ASAWLR	Supply of Float line roller SS316 4 lane of 50 meter / 6 lanes of 25 meter	132000	
ASCA	Stainless Steel cup anchor with bar	3000	10 9
AS24SR	30" lifebuoy - deluxe (Orange)	5500	0
ASLH	Life hook	4500	
ASLRT	Tensioner	4000	Carre
ASLRH	SS Hook	4000	



Code Price (INR) **Description Image** Number **CATEGORY: FOUNTAINS** NOZZLES HS CODE 73242900 **GST 18%** ASFN25 Foam Nozzle 1" OA Design 2800 3500 ASBN25SS Bell Nozzle 1" Bell Nozzle 1 1/2" ASBN40SS 6000 ASCN25SS Cascade Nozzle 1" 4950 ASCN40SS Cascade Nozzle 1 1/2" 8150 ASCN50SS Cascade Nozzle 2" 12000 ASCN75SS Cascade Nozzle 3" 17500 8200 ASFJN25SS Finger Jet Nozzle 1" with 9 orifice ASFJN40SS Finger Jet Nozzle 1 1/2" with 18 orifice 11000 Fan Jet Nozzle 1" ASFAN25SS 8200 ASFAN40SS Fan Jet Nozzle 1 1/2 " 11000 ASDJ50 Deck Jet Nozzle 2" 5500 ASTRMN25SS Trumpet Nozzle 1" 4500 ASTRMN40SS 7500 Trumpet Nozzle 1 1/2" ASTRMN50SS Trumpet Nozzle 2" 11500



Code Number	Description	Price (INR)	Image
ASBU25SS	BUBBLER Nozzle with snorkel in SS 1"	3500	
ASBU40SS	BUBBLER Nozzle with snorkel in SS 1.5"	7500	
ASBU50SS	BUBBLER Nozzle with snorkel in SS 2"	13500	U.V.
ASCSN12SS	Clear Stream Nozzle 1/2"	1500	
ASCSN20SS	Clear Stream Nozzle 3/4"	2200	
ASCSN25SS	Clear Stream Nozzle 1"	3000	
ASCSN40SS	Clear Stream Nozzle 1 1/2"	5400	
ASCSN50SS	Clear Stream Nozzle 2"	12000	
ASAJF25SS	Adjustable Flange 1" - Threaded	2950	
ASAJF40SS	Adjustable Flange 1 1/2" - Flanged	6200	
ASAJF50SS	Adjustable Flange 2" - Flanged	9885	
ASAJF75SS	Adjustable Flange 3" - Flanged	14500	The state of the s
ASUWDB	Underwater SS junction boxes (Variation available)	ТВА	-10-
SAFETY EQUIP	MENTS HS CODE 8	4818090	GST 18%
ASSVRS2000S	Safety Vacuum Release System (SVRS) designed for submerged suction applications.	POA	
ASSVRS2000L	Safety Vacuum Release System (SVRS) designed for suction lift applications.	POA	
ASSVRS10ADJC	Automatic reset with centre port installation for Suction Lift or Submerged Suction installations.	POA	
f Ville E			AQ-PPL-01-2020 Pricelist dated 21/07/2020